FOLD | BAG | PACK LABEL | STACK



ROQ Portugal (Head Office)

S.Roque - Máquinas e Tecnologia Laser S.A.

Rua das Ribes, 400 4765-774 Oliveira de S. Mateus Portugal P. +351 252 980 500

info@roginternational.com

ROQ Brazil

São Roque do Brasil - Indústria de Máquinas Têxteis, SA.

Rua Raimundo Correia, 200 Passo Manso 89031-300 Blumenau SC, Brazil P. +55 047 3037 3205 celina.furtado@roqinternational.com

ROQ United States

ROQ US, LLC

11909 NE 65th Street PO BOX# 821830 Vancouver, WA 98682 USA P. 87-ROQ-IT-NOW 1-877-674-8669 sales@roq.us

www.roqinternational.com

FOLLOW US

















ROQ FOOL

FOLDING MACHINE

The ROQ Fold folds any kind and/or shape of garment such as: T-shirts (with or without sleeves), sweat shirts, polos (long or short sleeve), trousers, skirts, dresses, etc. The secret to this flexibility is its 3 folding stations, sleeves, body and final fold. ROQ Fold has 2 configurations, with 3 folding stations or without the sleeves folding station, so the machine will occupy less space in your shop. This configuration is advised to fold t-shirts only. You can also decide if the output module is simple or with a deliverer that will connect with a packing solution. The ROQ Fold is ready to be coupled with ROQ's automatic packaging line: ROQ Bag or ROQ Pack.

One operator runs the machine from the loading station. With a processing speed of 700 pieces/hour the ROQ Fold is one of the fasters machines on the market.

Quick, accurate, easy to use, economic, safe and efficient.



ROQ Fold is the first part of a complete line of equipment that perform every operation from **folding** to **shipping**.

ROQ Fold	F60		
length (mm / inch)	6190 / 244"		
height (mm / inch)	1970 / 77.6"		
width (mm / inch)	1805 / 71"		
machine weight (kg / pounds)	910 / 2002		
dimension of the piece for folding (mm / inch)	length	400 - 1100 / 15.7" - 43.3"	
	width	300 - 635 / 11.8" - 25"	
dimension of the folded piece (mm / inch)	length	150 - 450 / 5.9" - 17.7"	
	width	175 - 425 / 6.9" - 16.7"	
maximum consumption (kVA)	1.5		
compr. air consumption (I/min / cfm)	140 / 4.94		
maximum production (pieces/h)	700°		

- power supply: 230V+N, 2x230V, 3x230V, 3x400V+N - 50Hz or 60Hz * for standard t'shirts

HOW CAN ROQ Fold

HELP YOUR BUSINESS?



total control

hub for the entire line



customization

every garment folds are customizable



money saver

just one operator needed



time saver

quick, accurate, safe and friendly user





ROQ Bag



ROQ Pack







ROQ Label A




TAKE NOTICE


ROQ Fold may present itself in 2 ways: with or without the sleeves folder, and also, you can decide if the output module comes with or without deliverer.







output module with deliverer



output module without deliverer

ROQ BAGGING MACHINE

The ROQ Bag is a bagging machine that provides the perfect packaging for any garments you work with. It uses premade bags. The ROQ Bag bags automatically all type of garments and it is one of the fastest bagging machines in the market, with a production of 600 pieces per hour. You can choose to use bags with an adhesive strip or a bag with no glue and the ROQ Bag tapes it for you. It does not require a dedicated operator; its software is intuitive.

600 PIECES/HOUR**

it will save you a huge amount of resources while outputing a **top-quality product**.

ROQ Bag

maximum consumption (kVA)

compressed air (bar)

length (mm / inch)	3350 / 132"		
height (mm / inch)	1900 / 75"		
width (mm / inch)	1150 / 45"		
garment dimensions (mm / inch)	max. height x width x length	80x370*x500 / 3"x15"x20"	
	minimum width	220 / 9"	
bag dimensions (mm / inch)	max. width x length	400x600 / 16"x24"	
	minimum width x lenght	220x250 / 9"x10"	
maximum production (pieces/h)	600**		
power supply (VAC)	3X400 N+PE		

1.5

250 / 8.83"

* With height of 30mm spoons. ** size of a DIN A4 sheet. - power supply: 230V+N, 2x230V, 3x230V, 3x400V+N - 50Hz or 60Hz

HOW CAN ROQ Bag

HELP YOUR BUSINESS?



reliable

perfect finish for your work



flexibility

uses different types of bags



money saver

just one operator needed



time saver

quick, accurate, easy to use and safe

PREMADE BAGS

closed by adhesive strip or tape applied by the ROQ Bag





POSSIBLE TO COMBINE WITH:



ROQ Label P&AR



ROQ Fold



ROQ PAC


PACKING MACHINE

ROQ Pack is designed to pack different types of garments.

The machine receives the folded garments and creates a complete bag made out of 2 rolls of plastic. The bag is done through a flawless plastic welding system, it has an automatic system for collecting the plastic waste and allows for unlimited bag length. It can be coupled with the ROQ Fold and the ROQ Label, in line or at a 90° angle depending on the available space. It can create a flap bag or weld it directly. The ROQ Pack has a maximum processing speed of 1200 pieces per hour.









length (mm / inch)	2700 / 106.3"	
height (mm / inch)	1650 / 65"	
width (mm / inch)	1000 / 39.4"	
Machine weight (kg / pounds)	570 / 1254	
Dimension of the piece for packing (mm / inch)	270 - 450 / 10.6" - 17.7	
maximum diameter of the roll (mm / inch)	280 / 11"	
maximum consumption (kVA)	3	
compressed air consumption (I/min /cfm)	80 / 2.83	
maximum production (pieces/h)	1200*	

HOW CAN ROQ Pack

HELP YOUR BUSINESS?



versatility

makes different bag sizes and it seals through temperature regulation



money saving auto calibration low maintenance




easy to use user friendly



consistency quick, accurate, efficient and safe









power supply: 230V+N, 2x230V, 3x230V, 3x400V+N - 50Hz or 60Hz

ROQ

STACK

STACKING ACCESSORIES

The ROQ Stack is a module that enhances the ROQ packing line. Its function is to stack folded garments. This opens the range of services, the way it works is simple. The ROQ Stack is attached to the end of the ROQ Fold and it is controlled from its central panel. This is where the user defines the number of pieces per stack. After a stack is complete there are 2 options, either it goes into a conveyer belt and starts a new stack, or it goes into a packing solution and the ROQ Stack starts a new stack. If it goes into the conveyer belt then the stacks need to be accommodated into the shipping boxes; in the other solution, the packing solution will finish the task.

ROQ Stack length (mm / inch) 800 / 31.5" height (mm / inch) 750 / 29.5" width (mm / inch) 650 / 25.6" Dimension of piece for stacking (mm / inch) 450x450 / 17.7" x 17.7" 450 / 17.7" maximum height of stack (mm / inch)

maximum production (pieces/h)

*Same as ROQ Fold - power supply: 230V+N, 2x230V, 3x230V, 3x400V+N - 50Hz or 60Hz

HOW CAN ROQ Stack

HELP YOUR BUSINESS?



hands free

it stacks all by it self



choice

stacks two or more folded garments



ready to go

the stack is ready to bag or pack



fully configurable


number of garments per stack with or without conveyor belt

THE







ed with ROQ Stack or in 90° connection th ROQ Bag or ROQ Pack




ROQ Stack CONVEYOR BELT









ROQSTACK 90°

ROQSTACK IN LINE SHAPE

OTHER ACCESSORIES

LABELING MACHINES

ROQ has developed a highly productive, robust and reliable labelling machine that works in sync with the fold and pack line. The ROQ Label A, applies pre-printed labels between folding steps.

For customers who need to apply and print labels according to their needs, we have developed ROQ Label P & A and ROQ Label P & AR. These two machines automatically print and apply labels to the packaging. These work in sync with ROQ packaging machines, fully automatic, and without human intervention.

ROQ Label P&A

ROQ Label P&AR

1303 / 51.3"	1980 / 78"
1444 / 56.8"	1175 / 46.3"
678 / 26.7"	670 / 26.4"
100 / 220.4	110 / 242.5
80x65 / 3.1"x2.55" or 100x65 / 4"x2.55")	80x65 / 3.1"x2.55" or 100x65 / 4"x2.55")
100x150 / 4"x5.9"	Walter Bridge
roll up to Ø200 / 7.8" and coil roll Ø76 / 3"	roll up to Ø200 / 7.8" and coil roll Ø76 / 3"
Same as ROQ Fold	Same as ROQ Fold
203 Dpi (300Dpi optional)	203 Dpi (300Dpi optional)
Direct thermal/Thermal transfer	Direct thermal/Thermal transfer
104 / 4"	104 / 4"
0.13mm - 0.17mm	0.13mm - 0.17mm
	1444 / 56.8" 678 / 26.7" 100 / 220.4 80x65 / 3.1"x2.55" or 100x65 / 4"x2.55") 100x150 / 4"x5.9" roll up to Ø200 / 7.8" and coil roll Ø76 / 3" Same as ROQ Fold 203 Dpi (300Dpi optional) Direct thermal/Thermal transfer 104 / 4"

⁻ power supply: 230V+N, 2x230V, 3x230V, 3x400V+N - 50Hz or 60Hz



ROQ Label A

REL A

length (mm / inch)	928 / 36.5"	
height (mm / inch)	870 / 34.3"	
width (mm / inch)	870 / 34.3"	
machine weight (kg / pounds)	120 / 264.5	
maximum label width (mm / inch)	up to 80 / 3.2" and infinite lenght	
maximum roll and coil diameter (mm / inch)	roll up to Ø300 / 11.8" and coil Ø76 / 3"	
maximum production (pieces/h)	the same as ROQ Fold	

ROQ Label A

Applies size tag during the folding process. **Do not print**. Combines with **ROQ Fold**.

This module is assembled between the position 2 and 3 of the **ROQ Fold**. After folding the sleeves and body but before the final fold. It applies pre-printed labels that comes in a roll.

ROQ Label P&A

Prints label and applies it to the garment top.

Combines with **ROQ Pack** and **ROQ** Fold.

The ROQ Label P&A prints and applies a label to the garment. The garment comes out folded, packed and the label is then applied.


Positioned at the end of the packing machine, it simplifies and makes the labelling a uniform process.

The labelling, adds value to the automatic folding and packing. You will be able to provide a complete service and presentation.



AVAILABLELAYOUTS

STRAIGHT LINE LAYOUT



AVAILABLELAYOUTS

"U" LAYOUT




AVAILABLE LAYOUTS


"T+U" LAYOUT **ROQ Pack ROQ Label P&A ROQ Stack ROQ Fold** 300 **ROQ Label A**

AVAILABLELAYOUTS

"L" LAYOUT



"T" LAYOUT



ROQ Label A

ROQ Label P&A

ROQ Pack

ROQ Stack

ROQ Pack

ROQ Label A

ROQ Label P&A

ROQ Fold

FOR HOODIES WE RECOMMEND INLINE LAYOUT

ROQ Fold

ATTHE HEART OF PRINTING TECH



